
National Transportation Safety Board Reaching Zero: Actions to Eliminate Substance-Impaired Driving

Terrence D. Walton, MSW, ICADC DC Pretrial Services Agency Washington, DC

Priority and Perspective



Treatment Perspectives on Criminal Justice System

Obstacles

Opportunities

Distrust

Resources

Recruitment

Demands

Retention

Treatment

- Court mandated, yet voluntary
- Treatment as a sanction or sentence?
- 2006 meta analysis found "modest effect" on reducing drinking-driving & alcohol-impaired crashes
- Treatment retention and treatment quality likely to impact treatment effectiveness

Treatment Variations for DWI Offenders

- Varying intensity, frequency, duration
- Low intensity (ASAM level 0.5) brief interventions
- ASAM Level I Outpatient Treatment (including brief interventions)
- ASAM Level II Intensive Outpatient Treatment
- ASAM Level III Residential Treatment
- ASAM Level IV Medically Managed Inpatient Treatment
- Non-Treatment Interventions: Alcoholics Anonymous, Control Strategies, Electronic Deterrence and Detection
- Duration: 1-2 sessions, weeks, months, months followed by aftercare

Why so much variability?

- Objective, valid, assessment-driven
 - Varying risk levels
 - Varying need/severity levels
 - Varying "change readiness"
 - Research or clinically-based
 - Resource availability
- Legal, political, subjective
 - Court-ordered levels of care
 - . One-size-fits all approaches
 - . Bias, personality-driven, discrimination

Essential Components

- Validated, standardized clinical screening and assessment
- Combining alcohol-related interventions, treatment, and control measures like license revocation
- Alcohol-specific interventions, versus generics
- Interventions with specific protocols versus merely information-giving and impact panels
- Education combined with counseling and supportive follow-up
- Strategies that encourage, though not necessarily mandate AA attendance

Treatment Matching?

- Few DUI-specific treatment evaluations, most alcohol-specific (even fewer specific to drugged driving)
- Project Match: angry participants benefit from Motivational Enhancement Therapy
- Those without sober supports fared best in 12-step focused treatment programs
- Those with low levels of psychiatric co-morbidity fared best with the Twelve Step Facilitation (TSF) approach
- The addition of brief supplemental supportive counseling sessions for depressed participants
- Women and adolescents?

Outcomes:

Predicting DUI Recidivism Following an Alcohol Safety Action Program

- Journal of Offender Rehabilitation (2000)
- Studied a rural Virginia ASAP (Rockingham/ Harrisonburg)
- Identify relevant factors in recidivism
- 2. Predict probationer recidivism
- 3. Evaluate the impact of the VASAP on recidivism

The Study

- Analyzed charted participant information from 1996
- Demographic
- Court, DMV, & criminal history records
- BAC at arrest
- Intake reports and progress notes
- Severity of alcohol problem
- VASAP Completion or revocation
- DUI convictions within one year of program completion or revocation

The Participants

- 377 probationers
- 312 male and 65 female
- 91% White
- 6% Spanish/Mexican
- 3% African American

The Measures

Michigan Alcohol Screening Test (MAST)

 Virginia Department of Motor Vehicle (DMV) Records


The Results: What Didn't Matter

- Gender or ethnicity
- Number of prior DUI offenses
- BAC at arrest
- Prior VASAP enrollment
- Occupational status

The Results: What Mattered

- Two variable were predictive of recidivism
- MAST score and VASAP revocation or completion
- Combination of two variables successfully predicted 63.6% of actual recidivists

Recidivists



A Big Finding

The more serious the alcohol involvement, the more likely the probationer is to recidivate

What Wasn't Studied?

The Quality of the Interventions Delivered

How Policy Shapers Can Help

- Promote evidence-based DWI-related treatment, as not all "treatment" is equal
- Encourage less variability in treatment delivered to similarly situated offenders by encouraging broader adherence to valid, reliable assessment and treatment placement standards (e.g. ASAM PPC IIr)
- Support broader more standardized adoption of "zero tolerance" per se drugged driving laws
- Encourage increased DWI-specific treatment research, including interventions focused on women and teens